

## **Publication Year: 2009-2010**

1. Mahfujul Haq Khan: An observational study on position of the roots of mandibular third molars and inferior dental canal in a group of people of Bangladesh. Bangladesh Medical College Journal 2009 July; 14 (2): 64-68.
2. Mahfujul Haq Khan: Gingivitis in primary school children of Bangladesh Ibrahim Medical College J 2009; 3(2) 71-74.
3. Mahfujul Haq Khan: Relationship of socioeconomic background to oral health condition in primary school children of Bangladesh. City Dental College Journal, Jan 2009; 1
4. Mahfujul Haq Khan: Prevalence of dental caries among adults in a rural community of Bangladesh. City Dental College Journal, Jan 2009;
5. Mahfujul Haq Khan: Ameloblastoma of anterior mandible: A case report of rarity. City Dental College J, 2009: 6(2): 45-48.
6. Mahfujul Haq Khan: Current molecular concept of Oral Carcinogenesis and Invasion. Medicine today 2010; 22 (1): 38-42.
7. Mahfujul Haq Khan: Oral rehabilitation in ectodermal dysplasia. Mymensingh Med J 2010 Oct; 19(4): 627-31.
8. Khasru MR, Yasmin R, Salek AKM, Khan KH, Nath SD, Selim S. Acute Hypervitaminosis- A in a young lady. Memensingh Med J. Jan2010
9. Siddique AB, Hasan SA, Khasru MR, Kaiser S, Salek AKM. Osteopoikilosis- a case report. Memensingh Med J. Jan 2010.
10. Khan KH, Begum M, Saleh M, Khasru MR Correlation between Helicobacter Pylori and gastric Disease. A Study in King Fahad Hospital at Al-baha of Saudi Arabia. Mymensingh Med J 2009 Jan; 18 (1 Suppl): S 113-118.
11. MO Faruq, ASMA Ahsan, K Fatema, F Ahmed, A Sultana, RH Chowdhury An audit of Intensive care services in Bangladesh. Ibrahim Medical College. Journal, 2010;4(1):13-16.
12. Rownak Jahan Tamanna. Therapeutic Options for the Treatment of Pulmonary Hypertension . University Heart Journal 2010; 6(1):37-40

13. Rownak Jahan Tamanna. Pulmonary capillary wedge pressure estimation by Doppler echocardiography and cardiac catheterization: a study at a tertiary level hospital in Bangladesh. *Int J Disabil Hum Dev* 2010; 9(1):51-57
14. Md. Zahid Alam Assessment of left ventricular function on follow up in diabetic end stage renal disease patients on maintenance hemodialysis. *Diab Endocr J* 2010; 39(Suppl 1):11-27
15. Tahmina Begum. Initiation of early empiric treatment based on clinical features and early observable CSF indices will prevent worse prognosis in childhood meningitis, Mymensingh Medical Journal, July 2009-
16. Case report : Anaesthesia for laparoscopic Bariatric Surgery : First time in Bangladesh- A case report. *Journal of Bangladesh Society of Anaesthesiologists*. Vol.23, Number-1.
17. Tashmim Farhana Dipta, Asadul Islam. A rare blood group found in Bangladeshi population. *Bangladesh J Pathol* 2010; (1): 25-27.
18. Shamsun Nahar, Md.Tahminur Rahman, Shamima Ferdousi, Tashmim Farhana Dipta, Rahima Begum, Habiba Khatoon, Shamsad Jahan .Vaginal Schwannoma . *Ibrahim Med. Coll. J.* July, 2010.
19. Comparison of per dialysis Non-Anemic Diabetic CKD Patients width Erythropoietin Treated Group. *Nephrol Dial Transplant* 2006; 21 (suppl 4): 158.
20. Dietary Intake and Calcium Homeostasis in Anemic CKD Patients with Diabetic Nephropathy. *Compendium of Abstracts*, P- 431, 7<sup>th</sup> WCN, Brazil 2007.
21. Effect of Renin Angiotensin System Inhibitor (Enalapril) and Blocker (Losartan) on Proteinuria and Blood Pressure Reduction in Patients with Primary Glomerulonephritis-form on going ERASIB-GN Trial. *Compendium of Abstracts*, p-313, 7<sup>th</sup> WCN, Brazil 2007.
22. Iron status in diabetic chronic kidney disease with or without anemia. *Compendium of Abstracts*, p-255, 7<sup>th</sup> WCN, Brazil 2007.
23. Calcium and phosphate metabolism in pre and on dialysis chronic kidney disease patients. The 52<sup>nd</sup> Annual Meeting of the Japanese Society for Dialysis Therapy ISDT 2007, Osaka, Japan, 15-17 June, 2007.
24. Alterations in serum k+ level at different doses of enalapril and losartan for treating type 2 diabetic CKD patients. *Nephrol Dial Transplant* 2007; 22 (S6): vi 92.

25. Efficacy of higher doses of enalapril and losartan in treating primary glomerulonephritis patients with nephrotic proteinuria – from on going ERASIB-GN Trial. *Nephrol Dial Transplant* 2007; 22 (S6): vi 81-282.
26. Comparative outcome of Erythropoietin for the management of anemia in predialysis diabetics and those on dialysis. *Hemodialysis Int* 2007; 11(1): 132.
27. Hemodialysis Hepatitis B (HBV) and C ( HCV) virus infection among maintenance hemodialysis (MHD) patients. *Family members and Dialysis Staffs Int* 2007; 11(1): 108
28. Islam MN, Hossain MM, Khan Shefin SM, Rashid MA, Hafizur RM, Faruque MO, Ali L “Ratio of Fasting Glucose to Adiponectin is an Important Predictor for the Development of type 2 Diabetes.” 7<sup>th</sup> Annual World Congress on Insulin Resistance (WCIR), Diabetes & Vascular Disease Research, volume 7 Issue 1.2009
29. Paul AK, Latif ZA, Amin AH, Prasad I, Hoque WMM, Shefin SM “Management of diabetes in hospital setting”; *The Orion Medical Journal*, Vol 33, issue 1, January 2010.
30. A Rahman, A Amin. Hossain MM, Latif ZA, Poster presentation on “Prevalence of obesity in Bangladeshi people”, in International congress of Endocrinology in Brazil.
31. Hossain MM, Latif ZA. Role of conventional ultrasonography and color flow Doppler sonography in predicting malignancy in notoxic thyroid nodules. *Diabetes Encorin J* 2009, Jan-Jun; vol. 37(1): 12-17.
32. Prasad I, Latif ZA, Ahmed T, Pathan F, Ashrafuzzaman SM and Amin F. Relationship of microalbuminuria with different clinical and biochemical parameters in newly detected diabetes mellitus cases. *Ibrahim Med Coll J* 2010; Jan 4(1): 21-25.
33. Baik S, Chacra AR, Yuxiu L, White J, Guler S, Latif ZA. Conducting cost-effectiveness analyses of type 2 diabetes in low-and middle-income countries: can locally generated observational study data overcome methodological limitations? *Diabetes Res Clin Pract* 2010, May; vol. 88, (Suppl. 1): S-17-S22.
34. Prasad I, Latif ZA, Pathan F, Ashrafuzzaman SM and Amin F. Pheochromocytoma-an unusual presentation-a case report. *J Bangladesh Coll Phys & Surg* 2010; May 28(2): 113-16.
35. Haq J. Ashraful. Emerging antibiotic resistance – a loosing battle! *Ibrahim Med. Coll. J.* (2009) 3(1): i-ii

36. Jilani MSA, Haq JA. Melioidosis in Bangladesh- a disease yet to be explored. Ibrahim Med Coll. J.2010; 4(1):i-ii
37. Tamanna S, Barai L, Ahmed AA, Jilani MSA, Haq JA. Seeking vancomycin resistance Enterococci in Bangladesh. ICPPB news.2010, vol1.2.
38. Tamanna S, Barai L, Ahmed AA, Jilani MSA, Haq JA. Metallo- $\beta$ -lactamase mediated multidrug resistant organism- an emerging super bug in Bangladesh. ICPPB news.2010, vol1.2.
39. Barai L, Fatema K, Haq JA, Faruq MO, Ahsan ASMA, Morshed MAHG, Hossain MB. Bacterial profile and their antimicrobial resistance pattern in an intensive care unit of a tertiary care hospital in Dhaka. Ibrahim Med Coll.J. July 2010; 4(2):66-69.
40. AK Chowdhury, DK singh, Z. Siddique, R Krishnan, KVS Rao. Dual Oxidase 2 (Duox-2) as an important regulator of insulin receptor signaling. Poster presentation at 20<sup>th</sup> World Diabetes Congress, Montreal, Canada, 2009.
41. T Anam, M Fariduddin, MS Hassan, AK Chowdhury, M kamal, ASM Moinul Alam, MA Hasanat. Prevalence of Antithyroid Antibodies in Graves' Disease and Hypothyroid Patients. Diabetes & Endocrine Journal 2009; 38 (1): 16
42. Iqbal MM, Chowdhury AA, Hossain RM, Roy DK, Ahmed AH, Mohsin M, Chowdhury N, Islam AKMM , Khan MF, Rahman M, Alam MR, Ahmed S, Mansur MA. Prevalence of Diabetes, Hypertension and Kidney Disease in Bangladesh - Early Result from an Ongoing Multifocal Population Screening Program. Nephrology 2010; 15 (Suppl 4), P 31
43. Iqbal MM, Islam RN, Ahmed Z, Mansur MA, Chowdhury S, Nahar N, Ali S, Goswami MK, Rashid MA, Ahmed T, Iqbal S, Hassan MS.Prevalence of Risk Factors and Co-Morbidities In Type 2 Diabetics with Nephropathy – Preliminary Report From BNDC Trial in BIRDEM, Bangladesh. Nephrology 2010; 15 (Suppl 3), P 70
44. Goswami MK, Debnath PR,Hossain MF,Sayeed A, Iqbal MM, Ahmed Z, Mansur MA, Chowdhury S, Nahar N, Ali S, Ahmed T, Hassan MS.Prevalence of Retinopathy in Patients with Type 2 Diabetes- Preliminary Report From BNDC Trial in BIRDEM, Bangladesh. Compendium of Abstracts, World Ophthalmology Congress, Berlin 2010

45. Karim MR<sub>S</sub> Zinnat R, Akter S, Islam S, Biswas KB, Rahman MH, Ali L. Characterization of insulin secretion in type 2 diabetic subjects. *Bang J Med Biochem* 2009; 2: 21-25.
46. Farhana DT, Nahar Q, Choudhury S (2009). Pattern of haematological disorders in a tertiary diabetic hospital: A pilot study. *JBCPS* 27:148-54.
47. Mosaraf MH, Hassan SN, Kabir MG, Nahar Q, Alauddin M, Faruque MO, Ali L (2009). Metabolic Syndrome of Prediabetic and Diabetic subjects in a Bangladeshi Population. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews* 8 Reviews 3: 233-236.
48. Rahman MH, Hafizur RM, Nahar Q, Khan AR and Ali L (2010): Insulin secretion and sensitivity in Bangladeshi prediabetic subjects. *J Diab Comp/* 24: 37-4.
49. I. Hada R, Hassan Z, Ali L., Rashid HU, Alam ABMS, Azad Khan AK, Chowdhury NS. Lack of association of sodium-lithium counter transport with microalbuminuria in young diabetics of Bangladesh. *Int J Diab Dev Countries*, 2010; 30: 135-142.
50. Jahan S, Zinnat R, Hassan Z, Ahmed CM, Fiabib SH, Saha S, Ali L,. An investigation into genetic contribution to the relationship between insulin resistance and birth weight. *Int J Diab Dev Countries* 2009; 29: 12-18.
51. Jahan S, Zinnat R, Hassan Z, Biswas KB, Habib SH. Gender differences in serum leptin concentrations from umbilical cord blood of newborn infants of ND Mothers and offspring of Type II Diabetic and GDM mothers at delivery. *Int J Diab Dev Countries* 2009; 29: 155-158.
52. Jahan S, Zinnat R, Hassan Z, Ahmed CM, Habib SH, Saha S, Ali L. An investigation into genetic contribution to the relationship between insulin resistance and birth weight. *Int J Diab Dev Countries* 2009; 29: 12-18.
53. Faruque MO, Lenguyen D, Lajoix AD, Vives E, Petit P, Bataille D and Hani ELH. Cell-permeable peptide-based disruption of endogenous PKA-AKAPs interactions: Essential role for PKA subcellular anchoring in the glucagon-induced cAMP stimulation of insulin-secreting pancreatic cells. *Am J Physiol Cell Physiol* 2009; 296: C306-C316.
54. Hossain MM, Hassan SN, Kabir MG, Nahar Q, Alauddin M,, Faruque MO, Ali L. Metabolic syndrome of prediabetic and diabetic subjects in a Bangladeshi population. *Diab & Metab Synd: Clin Res & Rev* 2009; 3: 233-236.

55. Bhowmik A, Ali L, Akhter M, Rokeya B. Studies on the antidiabetic effects of *Mangifera indica* (mango) stem-barks and leaves on nondiabetic, type 1 and type 2 diabetic model rats. *Bang J Pharmacol* 2009; 4: 110-114.
56. Bandara T, Rokeya B, Khan S, Ali L, Ekanayake S, Jansz R, Balasubramanian K. Effects of *Gymnema lactiferum* on glycemic abd lipidemic status in type 2 diabetic subjects, *Bang J Pharmacol* 2009; 4: 92-95.
57. Mahtab H, Habib SH. Social and economic consequences of diabetes in women from low-income countries: A case study from Bangladesh. *Int J Gyn and Obst* 2009; 104 (Supplement): S14-S16.
58. Jahan S, Zinnat R, Hasan Z, Biswas KB, Habib SH. Gender differences in serum leptin concentrations from umbilical cord blood of newborn infants of ND mothers and offspring of Type II diabetic and GDM mothers at delivery. *Int J Diab Dev Ctries*. 2009; 29: 155-158
- 58.1. F Saleh, F Afnan, F Ara, S Yasmin, K Nahar, F Khatun, L Ali. Phytoestrogen intake and cardiovascular risk markers in Bangladeshi postmenopausal women. *Myme Med J* 2009, V 20
59. Mumu SJ, Saleh F, Afnan F, Akhter A, Ahmed KR. Pattern of dietary intake among newly diagnosed type 2 diabetic subjects with hypercholesterolemia. *Pak J Nut* 2009; 8:721-724.
60. H Mahtab, Samira HH. Social and economic consequences of diabetes in women from low-income countries: A case study from Bangladesh. *International Journal of Gynecology and Obstetrics*. March 2009; 104(Sup): S14-S16
61. S Jahan, R Zinnat, Z Hassan, K B Biswas, Samira HH; Gender differences in serum leptin concentrations from umbilical cord blood of newborn infants of ND Mothers and offspring of Type II Diabetic and GDM mothers at delivery. *Int J Diab Dev Ctries*. Oct-Dec 2009; 29(4): 155-158.
62. Samsad Jahan, Latifa Akter, Sarder A Baki, Tripty Das, Samira HH , Soma Saha. A comparative study between Laparoscopically Assisted Vaginal hysterectomy and Abdominal hysterectomy. *Bangladesh Journal of Medical Science*. March 2009.
63. Rahman MM, Hassan Z, Biswas KB, Bhowmik NB, Ali L. Characterization of nerve conduction functional status in relation to glycemic and insulinemic status in type 2 diabetes patients of Bangladesh. *Diab End J*, 2009; 37: 22-27.

64. Farhana DT, Q Nahar, S Choudhury. Pattern of hematological disorders in a tertiary diabetic hospital: a pilot study. *J Bang Coll Phys Surg* 2009; 27:148-154.
65. Laila R, Nargis M, Sharmin Y, Chowdhury TA, Ali L. Characterization of glucose intolerance, insulin secretory capacity and insulin sensitivity in polycystic ovary syndrome. 2009; *Diab End J*; 37, 3-11.
66. Karim MR, Zinnat R, Akter S, Islam S, Biswas KB, Rahman MH, Ali L. Characterization of insulin secretion in type 2 diabetic subjects. *Bang J Med Biochem* 2009, 2: 21-25.
67. Jahan S, Akter L, Baki SA, Das T, Habib SH , Saha S. A comparative study between laparoscopically assisted vaginal hysterectomy and abdominal hysterectomy. *Bang J Med Sci* 2009.
68. Shahjahan M. Elderly care in Bangladesh: Challenges in the new millennium; *Bang J Scie Res* 2009, V 22 :130-199.
69. Afnan F, Saleh F, Mumu SJ, Akhter A, Ahmed KR, Akter S, Pervin T. Effect of nonpharmacological interventions on dietary practices, energy expenditure and biochemical parameters of hypercholesterolemia type 2 diabetic subjects. *Ibra Medi Coll Jour* 2009, 3: 75-77.
70. Y Kabir, H M Shahjalal, F Saleh, W Obaid. Dietary pattern, nutritional status, anaemia and anaemia-related knowledge in urban adolescent college girls of Bangladesh. *J Pak Med Assoc* 2010, 60 (8): 633-638.
71. SJ Mumu, F Saleh , F Afnan , A Akhter and KR Ahmed. Pattern of dietary intake among newly diagnosed type 2 diabetic subjects with hypercholesterolemia. *Pak J Nutri* 2009, 8: 721-724.
72. K Fatema, F Rahman, N Sumi, K Kobura, L Ali. Glycemic index of three common varieties of Bangladeshi rice in healthy Subjects. *African Journal of Food Science*, 4(8); 2010: 531-535.
73. K Fatema, F Rahman, N Sumi, K Kobura, L Ali. GI and Insulinemic Response to Pumpkin and unripe Papaya in T2DM. Accepted for *Int J Nutr & Metabolism*, 2010.
74. K Fatema, F Rahman, N Sumi, K Kobura, L Ali. Glycemic and insulinemic responses of three common varieties of rice in type-2 diabetic Subjects. Accepted for 3<sup>rd</sup> International Rice Congress proceeding, Hanio, Vietnam, 2010.

75. KR Ahmed, D Paul, SH Habib, CM Ahmed, S Jahan, F Afsana. Effects of lifestyle modification on metabolic parameters and relationship with cardiovascular risk factors in subjects with type 2 diabetes mellitus of a tertiary care hospital in Bangladesh (Under Review ' Kathmandu University Medical Journal)
76. KR Ahmed, L Ali, B. Bhowmik, S. H. Habib, A. Hussain. Incidence of Diabetic Retinopathy in Bangladesh: A 15 year follow-up in a hospital population. Submission for publication in Diabetic Medicine Journal.

## **2008-2009**

1. Khan MH, Haque S, Khan SE, Fatema CN, Alam MT, Takinami S, Nishioka T. Treatment Results of Squamous Cell Carcinoma of the Maxillary Sinus. Bangladesh Journal of Pathology, 2007; 22
2. Mahfujul Haq Khan A case of upper lip swelling caused by a large dentigerous cyst with mesiodens. Mymensingh Med J. 2008 Jul; 17 ( suppl-2); 100-103
3. Mahfujul Haq Khan Diabetes and Periodontal Disease: A review of current concepts. Bangladesh Journal of Pathology, 2008: 23(2); 20-26
4. Mahfujul Haq Khan A case report of Cleidocranial Dysphasia and review of its radiological findings with dental management Hokkaido Journal of Dental Science, 2008: 29(2).
5. Shah Zaman Khan. Pattern of MusculoSkeletal disorders among diabetic patients attending a tertiary care hospital Dhaka. Ibrahim Med. Coll. J 2008; 2(2): 65-66.
6. Kawab Mahmud, AKM Musa. Enteric Myocarditis: A case report, Ibrahim Medical College Journal, January 2007.
7. Sufi HZ Rahman, M Golam Azam, M Anisur Rahman, Tareq M Bhuiyan et al. Non-invasive diagnosis of H pylori infection: Evaluation of serological tests with and without current infection marker CIM. World J Gastroenterol 2008 February 28; 14(8): 1231-1236.
8. IK Datta, MA Rahman, TM Bhuiyan, PK Roy, MA Mamoon. Predictive role of serum billirubin, alanine aminotransferase, aspartate aminotransferase, alkaline phosphatase

- and abdominal ultrasound in acute billiary pancreatitis. Bangladesh J Medicine 2008; 19:38-43.
9. AA Mamoon, A Rahman, TM Bhuiyan, Z Rahman, IM Kabir, IK Datta et al. Predictive factors of severe acute pancreatitis. Bangladesh J Medicine 2008; 19: 1-7.
  10. Causes of Late Presentation in Head & Neck cancer patients: Bangladesh Journal of Medical Service; March 2007; 13 (1).
  11. Papillary Carcinoma to Thyroid Presented as a Bleeding Neck Mass: Bangladesh Journal of Medical Service; March 2007; 13 (1).
  12. Characterization of idiopathic central serous chorioretinopathy with optical coherence tomography: Bangladesh perspective; Journal of Bangladesh Academy Ophthalmology; January 2007, Vol 14 no 1.
  13. Retinal nerve fiber layer analysis in glaucoma suspect patients by optical coherence tomography. Journal of Bangladesh Academy of Ophthalmology; January 2007 Vol 14 no 1.
  14. T F Dipta. Pattern of haematological disorders in the patients attending in a tertiary care hospital. Diabetes and Endocrine Journal. 2008; 37 (suppl 1): 14<sup>th</sup> Diabetes & Endocrine Conference
  15. Comparison of peritoneal Non-Anemic Diabetic CKD Patients with Erythropoietin Treated Group. Nephrol Dial Transplant 2006; 21 (suppl 4) : 158.
  16. Dietary Intake and Calcium Homeostasis in Anemic CKD Patients with Diabetic Nephropathy. Compendium of Abstracts, P- 431, 7<sup>th</sup> WCN, Brazil 2007.
  17. Effect of Renin Angiotensin System Inhibitor (Enalapril) and Blocker (Losartan) on Proteinuria and Blood Pressure Reduction in Patients with Primary Glomerulonephritis-form on going ERASIB-GN Trial. Compendium of Abstracts, p- 313, 7<sup>th</sup> WCN, Brazil 2007.
  18. Iron status in diabetic chronic kidney disease with or without anemia. Compendium of Abstracts, p-255, 7<sup>th</sup> WCN, Brazil 2007.

19. Calcium and phosphate metabolism in pre and on dialysis chronic kidney disease patients. The 52<sup>nd</sup> Annual Meeting of the Japanese Society for Dialysis Therapy ISDT 2007, Osaka, Japan, 15-17 June, 2007.
20. Alterations in serum k+ level at different doses of enalapril and losartan for treating type 2 diabetic CKD patients. *Nephrol Dial Transplant* 2007; 22 (S6): vi 92.
21. Efficacy of higher doses of enalapril and losartan in treating primary glomerulonephritis patients with nephrotic proteinuria – from on going ERASIB-GN Trial. *Nephrol Dial Transplant* 2007; 22 (S6): vi 81-282.
22. Comparative outcome of Erythropoietin for the management of anemia in predialysis diabetics and those on dialysis. *Hemodialysis Int* 2007; 11(1): 132.
23. Hemodialysis Hepatitis B (HBV) and C ( HCV) virus infection among maintenance hemodialysis (MHD) patients. *Family members and Dialysis Staffs Int* 2007; 11(1): 108
24. Haq JA, Hin Choon Li and Rahman Rosliza A, Detection of Enteropathogenic Escherichia coli (EPEC) by serotyping and cell adhesion assay among children in north eastern Perinsular Malaysia- a hospitla based study. *Ibrahim Medical College Jouurnal*. 2008; 2(2): 40-43.
25. Hasan KN, Shoji, Sugimoto K, Tsutaya S, Matsuda E, Kudo R, Nakaji S, T, Yasujima M: Association of novel promoter single nucleotide polymorphisms in vasopressin VIa receptor gene with essential hyperiension in nonobese Japanese. *J Hum Hypertens*. 2007, 21: 825-7.
26. Rahman SHZ, Ahmed N, Rahman MA, Azam MG and Hassan MS et al. Immunoglobulin G antibody response to Helicobacter pylori antigens: Association of VacA and 37 KD antigen with antral bacterial density. *Bangladesh Journal of Pathology* 2007; 22(1): 7-13..
27. Rahman SHZ, Azam MG and Hassan MS et al. Immunoglobulin G antibody response to Helicobacter pylori antigens in adult dyspeptic patients and its correlation with gastro-duodenal diseases. *Bangladesh J Med Sel* 2007; 13(1): 25-29.

28. Azam MG, Belal H, Rumi MAK, Hasan MS, Azad Khan AK, Hepatitis B and C associated HCC: Evaluation of alpha-fetoprotein as a diagnostic marker. *Hepatol Int* 2007; 1(1): p172.
29. Habib SH, Akter S, Parveen S, Biswas KB, Saha S, Azad Khan AK and Howlader SR: Clinical and cost-effectiveness analysis of improved blood pressure control in hypertensive patients with type 2 diabetes mellitus. *Diabetes & Metabolic Syndrome: Clinical Research and Reviews* 2008; 2: 163-170.
30. Rahman MH, Hafizur RM, Nahar Q, Khan AR and Ali L: Insulin secretion and sensitivity in Bangladeshi prediabetic subjects. *J Diabetes Complication* 2008. In Press.
31. Al-Mahmood AK, Hassan Z, Zinnat R and Ali L: Insulin Secretion and Insulin Sensitivity in Bangladeshi Type 2 Diabetic Subjects. *Int Med J* 2007; 14(4): 295-298.
32. Hannan JM, Ali L, Rokeya B, Khaleque J, Akhter M, Flatt PR and Abdel-Wahab YH: Soluble dietary fibre fraction of *Trigonella foenum-graecum* (fenugreek) seed improves glucose homeostasis in animal models of type 1 and type 2 diabetes by delaying carbohydrate digestion and absorption, and enhancing insulin action. *Br J Nutr* 2007; 97(3): 514-21.
33. Sarma SS, Sarma BP, Khan S, Rokeya B, Nahar N, Mosihuzzaman M and Ali L: Antidiabetic effect of *Murraya koenigii* leave extract on non-diabetic and diabetic model rats. *J Res Educ Indian Med* 2007; XIII-1: 43-45.
34. Sokeng SD, Rokeya B, Hannan JMA, Junaida K, Zitech P, Ali L, Ngounou G, Lontsi D and Kamtchouing P: Inhibitory effect of *Ipomoea aquatica* extracts on glucose absorption using a perfused rat intestinal preparation. *Fitoterapia* 2007; 78: 526-529.
35. Roy MN, Biswas KB, Siddiqua N, Arslan MI and Ali L: Determinants of Insulin Secretion and Sensitivity in Bangladeshi Type 2 Diabetic Subjects. *Metabolic Syndrome & Related Disorder* 2007; 5: 266-272.
36. Hannan JMA, Marenah L, Ali L, Rokeya B, Flatt PR and Wahab YHA: Insulin secretory actions of extracts of *Asparagus racemosus* root in perfused pancreas, isolated islets and clonal pancreatic beta-cells. *J Endocrinology* 2007; 192: 159-68.

37. Subhan SS, Bhuiyan ZI, Akter K, Goswami MK, Rahman HS and Ali L: Relation between insulin secretory capacity and microangiopathy in young diabetic patients in Bangladesh. *Mymensingh Med J* 2007; 16(1): 1-6
38. Zaid RB, Nargis M, Neelotpol S, Sayeed MA, Banu A, Shurovi S, Hassan KN, Salimullah M, Ali L and Azad Khan AKL: Importance of acetylator phenotype in the identity of Asian populations. *Hum Biol* 2007; 79(3): 363-8
39. Jennie C Brand-Miller, Kaniz Fatema, Christopher Middlemiss, Marian Bare, Vicki Liu, Fiona Atkinson and Peter Petocz. Effect of alcoholic beverage on postprandial glycemia and insulinemia in lean, young, healthy adults. *Am J Clin Nutr* 2007; 85: 1545-50.
40. Habib SH, Akter S, Saha S, Mesbah F B, Hossain M, Ali L: Cost-effectiveness analysis of medical intervention in patients with early detected diabetic nephropathy in a tertiary care hospital in Bangladesh. *Diab Met Syndr Clin Res Rev*. In Press.
41. Habib SH, Biswas KB, Akter S, Saha S, Ali L Cost-effectiveness analysis of medical intervention in patients with early detected diabetic foot in a tertiary care hospital in Bangladesh. *J Diab Compl*. 2008. In Press.
42. Habib SH, Saha S. Burden of non-communicable disease: Global overview. *Diab Met Syndr Clin Res Rev*. 2008. In Press.
43. Jahan S, Ahmed CM, Zinnat R, Hasan Z, Habib SH, Saha S , Ali L. Influence of maternal diabetes on serum leptinemic and insulinemic status of the offspring: A case study of selected patients in a tertiary care hospital in Bangladesh. *Diab Met Syndr Clin Res Rev*. In Press.
44. Parvin Akter Khanam, Hajera Mahtab, Ashraf Uddin Ahmed, MA Sayeed, AK Azad Khan. In Bangladesh Diabetes starts Earlier Now than 10 years back: A BIRDEM Study. *Ibrahim Med. Coll. J.* 2008; 2(1): 1-3.
45. Shurovi Sayeed, Akhter Banu, Parvin Akter Khanam, Sharmina Alauddin, Sabrina Makbul, Tanjima Begum, H Mahtab, M Abu Sayeed. Prevalence of Metabolic Syndrome in Three Urban Communities of Dhaka City. *Ibrahim Med. Coll. J.* 2008; 2(2): 44-48.

1. *S Lahiry, M A Sayeed, Samira HH, L Ali, AK Azad Khan and L Ali.* Prevalence of foot ulcers and costs of care in Bangladesh. **Diabetologia** 2002; **45 (Suppl 2)**: A 1043.
2. *Samira HH, Lahiry S, Mahtab FU.* Developing health insurance: Bangladesh experience. Abstract accepted for oral presentation and selected to chair the session in Annual Conference of Health Economics Association Bologna, Italy held in September, 2002.
3. *Lahiry S, Samira HH, Khan AR, Ali L.* Cost-effectiveness of an intensive blood glucose control policy in patients with type 2 diabetes. Abstract accepted for oral presentation and selected to chair the session in Annual Conference of Health Economics Association, Bologna, Italy held in September, 2002.
4. *Lahiry S, Samira HH, Ali A, L Ali, MK Goswami.* Efficiency evaluation of diabetes care delivery through health camps. **Diabetes and Endocrine Journal** December 2002; **30 (Suppl-1)**: 18-19.
5. *S Lahiry, M A Sayeed, Samira HH, L Ali AK Azad Khan, L Ali,* Prevalence of foot ulcers and costs of care in Bangladesh. **Diabetologia** 2002; **45 (Suppl 2)**: A 1043.
6. *Lahiry S, Samira HH, SM Rahman, H Mahtab* Impact of propaganda in raising awareness regarding diabetes mellitus. Presented in the “Editing and Publication” conference organized by the “Editing Publication Association of Bangladesh” on 10<sup>th</sup> May, 2003 at Dhaka.
7. Translation from English to Bangali from different journals and books regarding diabetes has been published in regular magazine “Kanti”.
8. *Khan MH.* nm23-H1 suppress the migration activity of oral squamous cell carcinoma cell under stimulation of type-I and type-IV Collagen. **Hokkaido Journal of Dental Science** 2001; 22:168-77.
9. *Iqbal M. Islam M. Mansur MA, Kabir Z.* Renal replacement therapy in diabetes: Haemodialysis versus peritoneal dialysis. **Indian Journal of Nephrology.** 2002; 12(4):
10. *Md Maksumul Haq* “Insulin atherogenic or cardioprotective” DAB Jouran 2002; July-Dec in press.
11. *Md. Abdullah Al Amin, Motior Rahman, Sarder A Nayeem, Shafiqur Rahman:* Lichtenstein Tension- Free Repair of inguinal hernia by Prolene Mesh- Ten Years Experience in BIRDEM Hospital. Bangladesh Journal of Medical Sciences Vol-07, Num-01, 2001;p 25-29.

12. *Md. Abdullah Al Amin, Motior Rahman, Sarder A Nayeem, Nasir Uddin*: Acute Acalculous Cholecystitis — Experience in a Surgical unit of BIRDEM Hospital; **Bangladesh Journal of Medical Sciences** 2001; Vol-07, Num-02, p111-114.
13. Chronic Fibrocalculous Pancreatitis; The Orion, Vol-6, June, 2000.
14. *Abdullah-Al-Amin M, Motior Rahman M, Nayeem SA, Islam A*. Fournier's gangrene: experience of 46 cases. In Press of **Bangladesh Journal of Medical Sciences**
15. *Simple Liver Cyst with Portal Hypertension and Obstructive Jaundice – Report of a case*
16. *Mohammad Ali, B C Das, Nayeem Al Imam, S Roy, J A Chowdhury and M Rahman*. **Journal of The Bangladesh Colleges of Physicians and surgeons** 2000; **20**: 98-101.
17. Evaluation & Management of Clinically Labeled Carcinoma Head of the Pancreas – A Prospective study of 60 patients.
18. Mohammad Ali, S.M. Abu Zafar, B.C. Das, H. Rabbi, N M Fazal, S Roy, N A Imam & Mirza M. Islam
19. *Bangladesh Medical Research Council Bulletin* 2003;29(1): 29-3.
20. Clinical experience with Capecitabine as adjuvant therapy in different types of Gastrointestinal (GI) cancers.
21. Q. Choudhury, WFaisal, AKMF Haque, Mohammad Ali, MA Hai SAR Choudhury
22. *Journal of Bangladesh College of Physicians & Surgeons* 2002: 54-61.
23. **Role of awareness regarding diabetes mellitus on the incidence on of retinopathy first registration in a tertiary hospital.** *Diab Endocr J* 2002; **30**(1): 7-13
24. **Effect of early laser photocoagulation for branch retinal vein occlusion in diabetic patients.** *Diab Endocr J* 2002; **30**(1): 22-24.
25. **Combined Nasal & Temporal conjunctival mini autograft in the double headed pterygium;** *Trans. Ophthal Soc. Bang.* Vol. **29**(1), 2002:16-18
26. **Results of Explant of IOL in 12 cases;** *Trans. Ophthal Soc. Bang.* Vol. **29**(2), 2002:**163-166**
27. **Acute Proptosis in Dengue Fever – A case report;** *Trans. Ophthal Soc. Bang.* Vol. **29**(2), 2002:**174-177**
28. *Faruq MO*. Training in Bangladesh: an update. **Journal of Bangladesh Society of anesthesiologist** **13** (1/2); 28-55.
29. *Faruq MO* Sstemic infection in Diabetes Mellitus, [Abstract] **Diabetes & Endocrine Journal** 2002, **30** (Suppl. 1): 12.

30. *Basunia MRA*. Fariduddin M, Rahman MR, Alam MN, Faruq OM, Karim MA. Clinical and laboratory profile of Graves Disease: patients attending Thyroid & Endocrine Clinic of BSMMU [ abstract]. **Diabetes & Endocrine Journal** 2002; **(30 suppl. 1)**: 13-14.
31. Rahman MR, Fariduddin M, *Basunia MRA*, Alam MN, Haq SA, Mahbub H, Muslim F. Values of thyroid stimulating hormone receptor antibody in the diagnosis of Thyrotoxicosis [abstract]. **Diabetes & Endocrine Journal** 2002; **30 (suppl. 1)**: 14.
32. Haque Asna SMZ and Haq J. Ashraful and Rahman MM. Nalidixic acid resistant *Salmonella typhi* with decreased susceptibility to ciprofloxacin caused treatment failure – A report from Bangladesh Japanese Journal of Infections Diseases 2003; 56(1): 32-33.
33. Haq J. Ashraful, Hin Choon Li, Ahmed S and Salleh MZ. Detection of Enteropathogenic Escherichia Coli (EPEC) by serotyping and cell adhesion assay among children in North – Eastern Peninsular Malaysia – A Hospital based study. (Submitted for publication in Malaysian Medical Journal)
34. Sayeed A, Banu A, Haq JA, et al., Prevalence hypertension in Bangladesh: Effect of soci-economic risk factors difference between rural and urban community. Bangladesh Medical Research Council Bulletin 2002; 28(1): 7-18.
35. *Gibney L, Saquib N, Metzger J, Chowdhury P, Siddiqui MA Hassan MS*. Human Imminodeficiency virus, hepatitis B, C and D in Bangladesh's trucking industry: Prevalence and risk factors. **International Journal of Epidemiology**, 2001; 30:878-884.
36. *Gibney L, Saquib N, Macaluso M, Hasan KN, Aziz MM, Choudhury P and Khan AYMH*. HIV and STD In Bangladeshi Truck Drivers: prevalence and Risk. **Sex Transm Infect**. 2002; 78:31-36
37. *Hasan KN, Rumi MAK, Azam MG, Hasanat MA, Ahmed S, Salam MA, Islam LN, Hassan MS*. Chronic carriers of hepatitis B virus in Bangladesh: A comparative analysis of HBV-DNA, HBeAg/Anti-HBe and liver function tests. **Southeast Asian Journal of Tropical Medicine and Public Health** 2002; 33 (1): 110-117.
38. *Aziz MM, Hasan KN, Hasnat Ma, Siddique MA, Salimullah M, Chowdhury AK, Ahmed M, Alam MN, Hassan MS*. Predominance of DEN-3 genotype during the recent dengue outbreak in Bangladesh. **Southeast Asian Journal of Tropical Medicine and Public Health** 2002; 33 (1): 42-48

39. Karl Ljungbreg, Mohammed Sawkat Hassan, Mohammad Nazrul Islam, Mahbub Alam Siddiqui, Mohammad Monowar Azziz, Britta wahren, Khalid Islam and Thomas Leitner. Subtypes A, C, G, and Recombinant HIV Type 1 are circulating in Bangladesh. **Aids Research and Human Retroviruses** 2002; 18 (9): 667 – 670.
40. MG Aza, Rumi MAK, Hasan KN, Chowdhury AK, Salimullah M Hasanat MA, Hassan MS, Azad Khan AK. Hepatitis B virus infection among family members of HBsAg positive individuals in Bangladesh. **Journal of Hepatology** 2002; 36 (1): 267.
41. MAK Parvez, KN Hasan, MAK Rumi, M Sohel Ahmed, M Salimullah, Y Tahera, Donald J Gomes, F Huq and MS Hassan. PCR can help early diagnosis of Pulmonary tuberculosis. **Southeast Asian Journal of Tropicine and Public Health** 2003 (Submitted).
42. M Sohel Ahmed, Md Hasibur Rahman, MAK Parvez, MAK Rumi, K Nadim Hasan, M A Hasanat, M S Hassan and Farida Huq. Drug susceptibility of **Mycobacterium tuberculosis isolates in Dkaka City of Bangladesh**. **Am J Trop Med and Hyg** 2003 (submitted).
43. MM Aziz AYMH Khan, KN Hasan, AK Azad Khan and MS Hassan. Comparison between IS6110 and MPB 64 primers for the diagnosis of **Mycobacterium tuberculosis in Bangladesh by polymerse chain reaction (PCR)**. Bangladesh Medical Research Council Bulletin 2003 (submitted).
44. Aziz MM, Hasan KN, Chowdhury AK, Rumi MAK, Tahera Y, Elahi M, and Hassan MS. Leshmeniasis can effectively be diagnosed by PCR from peribhral blood. **Immunology Letters**. 87 (1-3), 179-180.
45. M Khan, K Alam, S Rahman, Azam MG, MK Ahamed and N Ahmad. Seroprevalence and management of hepatitis B in Bangladesh. **Proceedings of the Asian Pacific Association for the study of the liver Meeting 2002, Taipei (Taiwan), September 26-29, 2002. Monduzzi Editore, International Proceedings Division, Bologna, Italy**, 2002; pp47-51
46. Mollah AH, Nahar N, Siddique MA, Anwar KS, Hassan T and Azam MG. Common transfusion-transmitted infections agents among thalassaemic children in Bangladesh. **J Health popul Nutr** 2003; 21 (1): 67-71.
47. Azam MG. Peginterferon Alpha-2a Alone or in Combination with Ribavirin in chronic Hepatitis C. Thesis for MD in **Hepatology under the University of Dhaka**. Approved in July 2003.

48. Alam MN, Hasanat MA, Aziz MM, Haq SA, Moslehuddin Ahmed. *Pregnancy in systemic Lupus erythematosus in Bangladesh*. **Immunology Letters** 2003; 87 (1-3): 245-46.
49. Alam MN, Hasanat MA, Moslehuddin Ahmed. *Aziz MM, Glucose intolerance is frequently observed in dengue fever*. **Immunology Letters** 2003; 87 (1-3): 166
50. Chowdhury AK, Mehra NK, Kaur G, Tofail A, Aziz MM, Hassan MS and Mahtab H. *Expression of HLA-DRB<sub>1</sub> gene among young diabetics in Bangladesh*. **Diabetes & Metabolism** 2003; 4S : 70.
51. L Rossi, S Parvin, Z Hassan, P Hilldebrand, U Keller, L Ali, C Bgelinger, David C Whitcomb, AK Azad Khan and N Cyr: Diabetes mellitus in tropical chronic pancreatitis is not just a secondary type of diabetes. **Pancreatology** 2003. In Press.
52. SH Khan, M Mosihuzzaman, N Nahar, MA Rashid, B Rokeya, L Ali and AK Azad Khan. Three Megastigmane Glycosides from the leaves of perspermum semisagittatum. **Pharmaceutical Biology** 2003; 41: In Press.
53. Hannan JMA, Rokeya B, Faruque O, Nahar N, Mosihuzzaman M and Ali L, Effect of Soluble Dietary Fibre fraction of Trigonella foenum-graecum on glycemic, insulinemic, lipidemic and platelet aggregation status of Type 2 diabetic model rats. **J Ethnopharmacology** 2003; 88: 73-77.
54. K Fatema, L Ali, MH Rahman, S Parvin, Z Hassan. Serum glucose and insulin response to mango and papaya in type 2 diabetic subjects. **J Nutr Res** 2003; 23: 9-14.
55. S Chakrabarti, TK Biswas, B Rokeya, L Ali, M Mosihuzzaman, N Nahar, AK Azad Khan and BP Mukherjee, Advanced studies on the hypoglycemic effect of Caesalpinia bonduc F. in type I and II diabetes in Long Evans rats. **J Ethnopharmacology** 2003; 84: 41-46.
56. Hassan Z, Mohan V, Ali L, Allotey R, Barakat K, Faruque O, Deepa R, McDermott MF, Jackson AE, Cassell P, Curtis David, Gelding SV, Shanti V, Gyr N, Whitcomb DC, Azad Khan AK, Hitman GA. SPINK1 is a susceptibility gene for fibrocalculus pancreatic diabetes in subjects from the Southern Indian sub-continent. **Am J Hum Genet** 2002; 71: 964-968.
57. Chowdhury ZA, McDermott MF, Davey S, Hassan Z, Sinnott PJ, Hemmatpour SK, Sherwin S, Ali L, Aganna E, Allotey RA, North BV, Cassell PG, Azad Khan AK, Hitman GA: Genetic susceptibility of fibrocalculus pancreatic diabetes in Bangladeshi subjects: a family study. **Genes Immun** 2002; 3 (1): 5-8.

58. Schneider A, Suman A, Rossi L, Barmada MM, Beglinger C, Parvin S, mutations are associated with tropical pancreatitis and type 2 diabetes mellitus in Bangladesh. **Gastroenterology** 2002; **123**: 1026-30.
59. Chowdhury AN, Pervin F, Ali L, Azad Khan AK: Glucose induced changes of intracellular  $\text{Na}^+$ ,  $\text{K}^+$ ,  $\text{Ca}^{2+}$  and  $\text{Mg}^{2+}$  in rat pancreatic islets as studied by simultaneous measurement of the ions. **Diabetologia** 2002; **502**: A 164.
60. Helal R, Pervin F, Biswas KB, Azad Khan AK, Chowdhury TA and Ali L: Role of insulin resistance in the pathogenesis of preeclamptic toxemia. **Diabetologia** 2002; **927**: A 299.
61. Kasem SB, Neelotpol S, Razzaque SKA, Biswas KB, Sultana R, Chowdhury and Ali L: Effect of low dose oral contraceptive pill on blood glucose and other cardiovascular risk factors in normal and under weight women. **Diabetologia** 2002; **928**: A 299.
62. Saleh F, Ahmed KR, Rashid IB, Ali L and Thilsted SH: Evaluation of knowledge, attitude and practices of Bangladeshi Type 2 diabetic subjects. **Diabetologia** 2002; **983**: A 318.
63. Lahiry S, Sayeed MA, Samira HH, Ali L and Azad Khan AK: Prevalence of foot ulcers and costs of care in Bangladesh. **Diabetologia** 2002; **1043** : A 337.
64. Pervin F, Helal R, Biswas KB, Chowdhury TA and Ali L and Azad Khan AK: Plasma electrolytes in patients of preeclamptic toxemia with and without diabetes. **Diabetologia** 2002; **1228** : A 395.
65. Z Hassan: A new direction to search genes for pancreatitis and diabetes. **Diab End J** 2002; **30(Supp)**: p8.
66. S Lahiry, HH Samira, A Ali, MK Goswami: Effectiveness evaluation of diabetes care delivery through health camps. **Diab End J** 2002; **30(Supp)** : p18-19.
67. S Chowdhury, M Nargis, J Begum, L Shamsuddin and L Ali: Pathophysiology of anovulation in Bangladeshi PCOS women. **Diab End J** 2002; **30(Supp)**: p23-24.
68. SB Kasem, S Neelotpol, SKA Razzaque, KB Biswas, R Sultana, TA Chowdhury, and L Ali: Effect of low dose oral contraceptive pill on blood glucose and other cardiovascular risk factors in normal and underweight women. **Diab End J** 2002; **30(Supp)** : p24-25.
69. AN Chowdhury, FP Nipa and L Ali: Glucose induced changes of intracellular  $\text{Na}^+$ ,  $\text{K}^+$ , ions. **Diab End J** 2002; **30(Supp)** : p24-25.
70. F Hasin, KB Biswas, Z Hassan, AHMN Nabi and L Ali: Role of autoimmunity in the pathogenesis of young onset diabetes in Bangladeshi population. **Diab End J** 2002;

**30(supp)** : p27-28.

71. *SA Karim, MO Faruque, KB Biswas, L Ali and H Mahtab*: Serum leptin and euthyroid sick syndrome among type 2 diabetic subjects in a Bangladeshi population. **Diab End J** 2002; 30(supp) : p28-29.
72. *Q Nahar, MA Malek, S Ahmed, J Asraft, S Akter, S Yousuf, J Arjue, N Akter, MA Rashid and L Ali*: Clinico-biochemical characteristics and working capacity of chronic energy deficient subjects in a Bangladeshi population. **Diab End J** 2002; 30(supp) : p31.
73. *F Saleh, F Akther, KR Ahmed, IB Rashid, L Ali, M Rahman, S Mannan, S Ahmed and SH Thilsted*: Evaluation of knowledge, attitude and practices of type 2 diabetic subjects. Bangladeshi population. **Diab End J** 2002; 30(supp) : p31-32.
74. *Q Nahar, N Siddiqua, MA Malek, AT Ferdous, S Sultana, MA Rashid, S Ahmed and L Ali*: Hemoglobin and ferritin status of young Bangladeshi subjects with low Body Mass Index. **Diab End J** 2002; 30(supp) : p32.
75. *AS Anwar, JMA Hannan, M Akhter, J Khaleque, KB Biswas, B Rokeya, I Mahmud, L Ali*: Effects of hilsa oil on atherogenic factors in diabetic rats. **Diab End J** 2002; 30(supp) : p31-33.
76. *NS Chowdhury, SJ Rawal, L Shamsudding, KB Biswas and L Ali*: Plasma endothelin-1 and nitric oxide changes in preeclampsia. **Diab End J** 2002; 30(supp) : p34-35.
77. *J Begum, M Nargis, RB Zaid, S Chowdhury, AT Chowdhury and L Ali*: Serum leptin levels in Bangladeshi population.women with polycystic ovary syndrome. **Diab End J** 2002; 30(supp) : p35-36.
78. *R Zinnat and MA Mohsin*: Glycation of proteins: Biochemical basis for diabetic complications. **Diab End J** 2002; 30(supp) : p48.
79. *S Parvin and L Ali*: Issues on the laboratory assays of glycated hemoglobins. **Diab End J** 2002; 30(supp) : p35-36.
80. *AM Sarker, B Rokeya, M Ahmed, N Sultana, NS Chowdhury, JMA Hannan, AK Azad Khan, ZA Latif*: Serum fructosamine asssty – a parameter of short-term glycemic control in diabetic patients. **Diab End J** 2002; 30 : p17-21.
81. *AS Anwar, JMA Hannan, M Akhter, J Khaleque, KB Biswas, B Rokeya, I Mahmud and L Ali*: Effects of hilsa oil on atherogenic factors in diabetic rats. IX Asian Congress of Nutrition 2003; p121.
82. *F Saleh, F Akther, KR Ahmed, IB Rashid, L Ali, M Rahman, S Mannan, S Ahmed and SH Thilsted*: Evaluation of knowledge, attitude and

83. practices of Bangladeshi type 2 diabetic subjects. IX Asian Congress of Nutrition 2003; p284.
84. *B Habib, F Rehman, SN Afza, K Fatema, IB Rashid, S Ahmed and L Ali*: Glycemic, non-esterified fatty acid (NEFA) and insulinemic responses to watermelon and Apple in type 2 diabetic subjects. IX Asian Congress of Nutrition 2003; p305.
85. *F Hafiz Asma Rahman, K Fatema, F Saleh and L Ali*: Glycemic, Insulinemic and NEFA response of a parboiled rice and bengal gram based fermented food in type 2 diabetic subjects. IX Asian Congress of Nutrition 2003; p305.
86. *J Khaleque, F Akter, M R Sharkar, S Ahmed, K Fatema, L Ali*: Effect of artificial sweeteners on atherogenic factors in Bangladeshi type-2 Diabetic subjects IX Asian Congress of Nutrition 2003; p305-6.
87. *S Nahar, K Akter, T Ferdoushy, S Akhter, S Ahmed, faAkter, K Fatema, HS Chowdhury and L Ali*: Dietary fiber intake and prevalence of dyslipdemia in Type-2 diabetic subjects. IX Asian Congress of Nutrition 2003; p306.
88. *L Ali, S Murshed, Sh Khan, K Fatema and A Rahman*: Chemical investigation of soyabean oils available in Bangladesh. IX Asian Congress of Nutrition 2003; p142.
89. *Q Nahr, Ma Malek, S Ahmed, J Asrafi, S Akter, S Yousuf, J Arjue, N Akter, M A Rashid and L Ali*: Clinico-biochemical characteristics and working capacity of chronic energy deficient subjects in a Bangladeshi population. IX Asian Congress of Nutrition 2003; p206.
90. *Q Nahr N Siddiqua, Ma Malek, At Ferdous, S Sultana, Ma Rashid, S Ahmed and L Ali*: Hemoglobin and ferritin status of young Bangladeshi subjects with low body Mass Indix. IX Asian Congress of Nutrition 2003; p231.
91. *Liaquat Ali*: Antidiabetic Activities of some Local and Regional Plant Materials. International Symposium on Drug Discovery at the Crossroads 2003; p18.
92. *Sayeed MA, Mahtab H, Latif ZA, Khanam PA, Banu Am, and Azad Khan AK*. Waist-to-height ratio is a better obseity index than body mass index waist-to-hip ration for predicting diabetes hypertension and lipidemia. **Bang Med Res Coun Bull** 2003; **29(1)**: 1-10.
93. *Sayeed MA, Mahtab H, Khanam PA, Latif ZA, Ali SMK, Banu A, Ahren B, Azad Khan AK* Diabetes and impaired fasting glycemia in a rural population of Bangladesh. **Diabetes Care** 2003; **26(4)**: 1034-1039.

94. Sayeed MA, Azad Khan AK, Mahtab H, Ahsan KA, Banu A, Khanam PA, Ahren B. Leptin is reduced in lean subjects with type 2 diabetes in Bangladesh (Letter). **Diabetes Care** 2003; **26(2)**: 547.
95. Sayeed MA, Mahtab H, Khanam PA, Ahsan KA, Banu A, Bazlur Rashid ANM, Azad Khan AK Diabetes and impaired fasting glycemia in the tribes of Khagrachari Hill-tracts of Bangladesh. **Diabetes Care** 2004; **27(May)**: 000-000